

Maloprodajni CJENIK MBQUART 2009.g.

Slika proizvoda	Opis	Karakteristike	Cijena kn
Premium Speakers - The new Premium High-End Speakers stand for excellent Sound Quality and the promise of Performance well above the ordinary.			
	MB QUART PREMIUM Compo-Kit PVI-216	Power Handling 70/140 Watt, Impedance 4 Ohm, Component / Coaxial-System with PTI 40 Titan Tweeter up to 32 kHz, Plastic-Carbon-Compound-Basket and Polycone, 12 dB x-over with adjustable Tweeter Level mounting depth 65 mm, diameter 145 mm.	2.199,00
	MB QUART PREMIUM Compo-Kit PVI-213	Power Handling 50/110 Watt, Impedance 4 Ohm Component / Coaxial-System with PTI 40 Titan Tweeter up to 32 kHz, Plastic-Carbon-Compound-Basket and Polycone, 12 dB x-over with adjustable Tweeter Level mounting depth 60 mm, diameter 115 mm.	2.099,00
	MB QUART PREMIUM Compo-Kit 10 cm PVI-210	Power Handling 40/90 Watt, Impedance 4 Ohm 2-Wege Component / Coaxial-System with PTI 40 Titan Tweeter up to 32 kHz, Plastic-Carbon-Compound-Basket and Polycone, 12 dB x-over with adjustable Tweeter Level mounting depth 46 mm, diameter 86 mm.	1.999,00
	MB QUART PREMIUM Midbass 16,5 cm PVI-164	Power Handling 70/140 Watt, Impedance 4 Ohm Plastic-Carbon-Compound-Basket, Polycone, Magnet with Metal-Cover mounting depth 65 mm, diameter 145 mm.	799,00
Premium Subwoofers - Premium High-End-Subwoofers with Diamond-Cut-Finished Diecast Baskets and 3" (76 mm) Dual-Voice-Coils.			
	MB QUART PREMIUM Woofer PWH-302	Power Handling 500/1000 Watt, Impedance 2+2 Ohm 76 mm / 3,0" VC, Diamond-Cut Aluminium-Die-Cast-Basket, 120 oz Double Magnet, Polycone, Conex Spider Fs 25 Hz, Qts 0,53, VAS 65 L, 85 dB mounting depth 181 mm, diameter 286 mm.	1.799,00
	MB QUART PREMIUM Woofer PWH-304	Power Handling 500/1000 Watt, Impedance 4+4 Ohm 76 mm / 3,0" VC, Diamond-Cut Aluminium-Die-Cast-Basket, 120 oz Double Magnet, Polycone, Conex Spider Fs 26 Hz, Qts 0,55, VAS 65 L, 85 dB mounting depth 181 mm, diameter 286 mm.	1.799,00
Premium Subwoofers - boxes - Premium High-End-Subwoofers with Logo and light.			
	MB QUART DOUBLE BANDPASS PHG 304 D	Power Mono: 1.000/2.000 Watts, Power Stereo: 2x500/1.000 Watts, Impedance 2x4 Ohms 12" Dual Bandpass Box with Plexiglass, mirrored, illuminated reflex chamber, Logo-Stick, Woofer with 110 oz. Dual Magnet Driver, Aluminium Die-Cast Basket and Chrome finished T-Plate.	2.199,00

Maloprodajni CJENIK MBQUART 2009.g.

Slika proizvoda	Opis	Karakteristike	Cijena kn
	MB QUART SINGLE BANDPASS PHG 304 S	Power 500/1.000 Watts, Impedance 4 Ohms 12" Single Bandpass Box mit Plexiglass, mirrored, illuminated reflex chamber, Logo-Stick, Woofer with 110 oz. Dual Magnet Driver, Aluminium Die-Cast Basket and Chrome finished T-Plate.	4.499,00
Premium Amplifiers - Premium multichannel amplifiers with pure Class AIB amplifier topology with PWM power supply and high speed Mosfet devices for superior sound performance. Wire concealing detachable end panels.			
	MB QUART PREMIUM 2CH AMP PAB2100	2 x 100 / 200 Watts at 4 / 2 Ohms Ultra-flexible active x-over network Vario Bass Equalizer Circuit up to + 18 dB, 24 dB Subsonic Filter, incl. Bass-Remote, LED-Logo, massive Heatsink, detachable Endcaps.	1.999,00
	MB QUART PREMIUM 4CH AMP PAB4100	4 x 100 / 150 Watts at 4 / 2 Ohms Ultra-flexible active x-over network Vario Bass Equalizer Circuit up to + 18 dB, 24 dB Subsonic Filter, incl. Bass-Remote, LED-Logo, massive Heatsink, detachable Endcaps.	2.499,00
	MB QUART PREMIUM 5CH AMP PAB5400	4 x 55 / 80 Watts + 1 x 200 / 300 Watts at 4 / 2 Ohms, Ultra-flexible active x-over network Vario Bass Equalizer Circuit up to + 18 dB, 24 dB Subsonic Filter, incl. Bass-Remote, LED- Logo, massive Heatsink, detachable Endcaps.	2.899,00
	MB QUART PREMIUM MONOBLOCK PAB1200.1	1 x 600 / 800 / 1.200 Watts at 4 / 2 / 1 Ohm Ultra-flexible active x-over network Vario Bass Equalizer Circuit up to + 18 dB, 24 dB Subsonic Filter, incl. Bass-Remote, LED- Logo, massive Heatsink, detachable Endcaps.	3.299,00
Reference Subwoofers -Reference Subwoofers with Neodymium Front Magnet Assembly and 2.5" (64 mm) Voice Coil.			
	MB QUART REFERENCE Woofer RSH-252	Power Handling 400/800 Watt, Impedance 2+2 Ohm 64 mm / 2,5" VC, Plastic-Fibre-Compound-Basket, front-sided Neodymium-Magnet, Injection-Polycone Fs 42 Hz, Qts 0,40, VAS 17,4 L, 87 dB mounting depth 97 mm, diameter 241 mm.	1.199,00
	MB QUART REFERENCE Woofer RSH-254	Power Handling 400/800 Watt, Impedance 4+4 Ohm 64 mm / 2,5" VC, Plastic-Fibre-Compound-Basket, front-sided Neodymium-Magnet, Injection-Polycone Fs 42 Hz, Qts 0,41, VAS 17,4 L, 86 dB mounting depth 97 mm, diameter 241 mm.	1.199,00
	MB QUART REFERENCE Woofer RSH-302	Power Handling 400/800 Watt, Impedance 2+2 Ohm 64 mm / 2,5" VC, Plastic-Fibre-Compound-Basket, front-sided Neodymium-Magnet, Injection-Polycone Fs 37 Hz, Qts 0,43, VAS 42 L, 88 dB mounting depth 97 mm, diameter 292 mm.	1.299,00

Maloprodajni CJENIK MBQUART 2009.g.

Slika proizvoda	Opis	Karakteristike	Cijena kn
	MB QUART REFERENCE Woofer RSH-304	Power Handling 400/800 Watt, Impedance 4+4 Ohm 64 mm / 2,5" VC, Plastic-Carbon-Compound-Basket, front-sided Neodymium-Magnet, Injection-Polycone Fs 37 Hz, Qts 0,51, VAS 42 L, 87 dB mounting depth 97 mm, diameter 292 mm.	1.299,00
Reference Amplifiers - Micro Class A/B Amplifiers with High-Speed-Mosfets and PWM-Power Supplies. Extremely compact housing with black Hairline-Brush-Finish Heatsink.			
	MB QUART REFERENCE 2CH AMP RAB250	2 x 50 / 90 Watts at 4 / 2 Ohms, Highly flexible active x-over network 24 dB Subsonic Filter, LED- Logo, space saving focused, massive Heatsink.	890,00
	MB QUART REFERENCE 4CH AMP RAB450	4 x 50 / 80 Watts at 4 / 2 Ohms, Highly flexible active x-over network 24 dB Subsonic Filter, LED- Logo, space saving focused, massive Heatsink.	1.399,00
	MB QUART REFERENCE MONOBLOCK RAB1450	1 x 200 / 300 / 450 Watts at 4 / 2 / 1 Ohms, Highly flexible active x-over network Vario Bass Equalizer Circuit up to + 12 dB, 24 dB Subsonic Filter, incl. Bass-Remote, LED- Logo, space saving, massive Heatsink.	1.699,00
Discus Speakers - The brand new Discus-Speakers feature the 30 mm WideSphere Tweeter.			
	MB QUART DISCUS Compo-Kit 16,5 cm DSH-216	Power Handling 50/120 Watt, Impedance 4 Ohm RTI 30 Titan - Tweeter up to 30 kHz, Plastic-Carbon- Compound-Basket and Polycone, x-over with adjustable Tweeter Level, incl. Grill mounting depth 66 mm, diameter 145 mm.	1.149,00
	MB QUART DISCUS Compo-Kit 13 cm DSH- 213	Power Handling 35/90 Watt, Impedance 4 Ohm RTI 30 Titan - Tweeter up to 30 kHz, Plastic-Carbon-Compound-Basket and Polycone, x- over with adjustable Tweeter Level, incl. Grill mounting depth 63 mm, diameter 116 mm.	1.099,00
	MB QUART DISCUS Coaxial 16,5 cm DKH- 116	Power Handling 50/120 Watt, Impedance 4 Ohm RTI 30 Titan - Tweeter up to 30 kHz, Plastic-Carbon- Compound-Basket and Polycone mounting depth 66 mm, diameter 145 mm.	799,00
	MB QUART DISCUS Coaxial 13 cm DKH- 113	Power Handling 35/90 Watt, Impedance 4 Ohm RTI 30 Titan - Tweeter up to 30 kHz, Plastic-Carbon-Compound-Basket and Polycone mounting depth 63 mm, diameter 116 mm.	699,00

Maloprodajni CJENIK MBQUART 2009.g.

Slika proizvoda	Opis	Karakteristike	Cijena kn
	MB QUART DISCUS Coaxial 10 cm DKH-110	Power Handling 30/70 Watt, Impedance 4 Ohm RTI 30 Titan - Tweeter up to 30 kHz Plastic-Carbon-Compound-Basket and Polycone mounting depth 48 mm, diameter 92 mm.	599,00
	MB QUART DISCUS Coaxial 6x8" DKH-168	Power Handling 50/120 Watt, Impedance 4 Ohm RTI 30 Titan - Tweeter up to 30 kHz, Plastic-Carbon- Compound-Basket and Polycone mounting depth 61 mm, diameter 132x189 mm.	699,00
	MB QUART DISCUS Coaxial 6x9" DKH-169	Power Handling 60/140 Watt, Impedance 4 Ohm RTI 30 Titan - Tweeter up to 30 kHz, Plastic-Carbon- Compound-Basket and Polycone mounting depth 83 mm, diameter 150x220 mm.	799,00
	MB QUART DISCUS Triaxial 6x9" DTH-169	Power Handling 60/140 Watt, Impedance 4 Ohm Titan - Tweeter plus 13mm SuperTweeter, Plastic-Carbon- Compound-Basket and Polycone mounting depth 83 mm, diameter 150x220 mm.	959,00
Discus Woofers - Newly designed for 2008 with new Cone. With 2" (50 mm) Voice Coils, available in Dual 4 Ohms / 2 Ohms.			
	MB QUART DISCUS Woofer DWI-252	Power Handling 300/600 Watt, Impedance 2+2 Ohm 50 mm / 2" VC, 50 oz Magnet, Injection-Polycone Fs 32 Hz, Qts 0,32, VAS 38 L, 88 dB mounting depth 119 mm, diameter 231 mm.	799,00
	MB QUART DISCUS Woofer DWI-254	Power Handling 300/600 Watt, Impedance 4+4 Ohm 50 mm / 2" VC, 50 oz Magnet, Injection-Polycone Fs 33 Hz, Qts 0,35, VAS 38 L, 87 dB mounting depth 119 mm, diameter 231 mm.	649,00
	MB QUART DISCUS Woofer DWI-302	Power Handling 300/600 Watt, Impedance 2+2 Ohm 50 mm / 2" VC, 50 oz Magnet, Injection-Polycone Fs 28 Hz, Qts 0,38, VAS 90 L, 89 dB mounting depth 123 mm, diameter 283 mm.	649,00
	MB QUART DISCUS Woofer DWI-304	Power Handling 300/600 Watt, Impedance 4+4 Ohm 50 mm / 2" VC, 50 oz Magnet, Injection-Polycone Fs 28 Hz, Qts 0,40, VAS 90 L, 89 dB mounting depth 123 mm, diameter 283 mm.	799,00

Maloprodajni CJENIK MBQUART 2009.g.

Slika proizvoda	Opis	Karakteristike	Cijena kn
	MB QUART VENTED BOX DSC-304	Power Handling 300/600 Watts, Impedance 4 Ohms 12" Single Vented Box 50 l, with MB Quart Plexi-Logo, metal bars, Discus Subwoofer DWI-300 with Polycone.	799,00
Discus Amplifiers - Discus Amplifiers feature High-Performance Sound and Best Value.			
	MB QUART DISCUS 2CH AMP DSC280	2 x 80 / 160 Watts at 4 / 2 Ohms, Ultra flexible active x-over network Vario Bass Equalizer Circuit up to 12 dB, incl. Bass-Remote, Solid Heatsink with LED-Logo.	1.199,00
	MB QUART DISCUS 2CH AMP DSC2150	2 x 150 / 300 Watts at 4 / 2 Ohms, Ultra flexible active x-over network, Vario Bass Equalizer Circuit up to 12 dB, incl. Bass-Remote, Solid Heatsink with LED-Logo.	1.499,00
	MB QUART DISCUS 4CH AMP DSC450	4 x 50 / 100 Watts at 4 / 2 Ohms, Ultra flexible active x-over network, Vario Bass Equalizer Circuit up to 12 dB, incl. Bass-Remote, Solid Heatsink with LED-Logo.	1.199,00
	MB QUART DISCUS 4CH AMP DSC480	4 x 80 / 160 Watts at 4 / 2 Ohms, Ultra flexible active x-over network, Vario Bass Equalizer Circuit up to 12 dB, incl. Bass-Remote, Solid Heatsink with LED-Logo.	1.299,00
	MB QUART DISCUS 4CH AMP DSC4125	2 x 125 / 250 Watts at 4 / 2 Ohms, Ultra flexible active x-over network, Vario Bass Equalizer Circuit up to 12 dB, incl. Bass-Remote, Solid Heatsink with LED-Logo.	1.799,00
	MB QUART DISCUS MONOBLOCK DSC500.1	1 x 150 / 250 / 500 Watts at 4 / 2 / 1 Ohms, Ultra flexible active x-over network, Vario Bass Equalizer Circuit up to + 12 dB, 24 dB Subsonic Filter, incl. Bass-Remote, Solid Heatsink with LED- Logo.	1.799,00
	MB QUART DISCUS MONOBLOC DSC1000.1	1 x 350 / 500 / 1.000 Watts at 4 / 2 / 1 Ohms, Ultra flexible active x-over network, Vario Bass Equalizer Circuit up to + 12 dB, 24 dB Subsonic Filter, incl. Bass-Remote, Solid Heatsink with LED- Logo.	2.499,00
Formula Speakers - The all new Formula Speaker Series. Best Value and Performance!			
	MB QUART FORMULA Compo-Kit 16,5 cm FSA-216	Power Handling 40/150 Watt, Impedance 4 Ohm 19 mm Tweeter with Titan Coating, solid Steel-Basket, Polycone, incl. Grillset mounting depth 65 mm, diameter 144 mm.	749,00
	MB QUART FORMULA Compo-Kit 16,5 cm FSA-213	Power Handling 30/130 Watt, Impedance 4 Ohm 19 mm Tweeter with Titan Coating, solid Steel-Basket, Polycone, incl. Grillset mounting depth 59 mm, diameter 116 mm.	659,00

Maloprodajni CJENIK MBQUART 2009.g.

Slika proizvoda	Opis	Karakteristike	Cijena kn
	MB QUART FORMULA Coaxial 16,5 cm FKA-116	Power Handling 40/150 Watt, Impedance 4 Ohm 19 mm Tweeter with Titan Coating, solid Steel-Basket, Polycone, incl. Grillset mounting depth 65 mm, diameter 144 mm.	499,00
	MB QUART FORMULA Coaxial 13 cm FKA-113	Power Handling 30/130 Watt, Impedance 4 Ohm 19 mm Tweeter with Titan Coating, solid Steel-Basket, Polycone, incl. Grillset mounting depth 59 mm, diameter 116 mm.	449,00
	MB QUART FORMULA Coaxial 5x7" FKA-157	Power Handling 40/150 Watt, Impedance 4 Ohm 19 mm Tweeter with Titan Coating, solid Steel-Basket, Polycone, incl. Grillset mounting depth 59 mm, diameter 128x181 mm.	499,00
	MB QUART FORMULA Triaxial 6x9" FTA-169	Power Handling 50/180 Watt, Impedance 4 Ohm 2 x Tweeter with Titan Coating, solid Steel-Basket, Polycone, incl. Grillset mounting depth 81 mm, diameter 152x222 mm.	659,00
Nautic Speakers / visokokvalitetan Marine-speaker			
	MB QUART NAUTIC Compo-Kit 16,5 cm NSE-216	Power Handling 60/130 Watt, Impedance 4 Ohm Neodym-TitanTweeter, UV resistant ABS - Baskets, Polycone, Splash-Proof-Magnets mounting depth 69 mm, diameter 145 mm.	749,00
	MB QUART NAUTIC Coaxial 16,5 cm NKE- 116	Power Handling 60/130 Watt, Impedance 4 Ohm Neodym-TitanTweeter, UV resistant ABS - Baskets, Polycone, Splash-Proof-Magnets mounting depth 69 mm, diameter 145 mm.	659,00
	MB QUART NAUTIC Coaxial 16,5 cm NKA- 116	Power Handling 40-70 Watt, Impedance 4 Ohm Neodym-TitanTweeter, UV resistant ABS - Baskets, Polycone, Splash-Proof-Magnets mounting depth 76 mm, diameter 131 mm.	899,00
Zabilješke			