

MALOPRODAJNI CJENIK SOUNDSTREAM 2009.g.

Slika proizvoda	Opis	Karakteristike	SOUNDSTREAM	Cijena kn
Reference-Serie / High-End pojačala - Absolute Spitzenklasse				
	Soundstream Reference Amp REF620.2	2 x 175 / 310 Watts RMS into 4 / 2 Ohms HP & LP Filter 30-4000 Hz, Hawkins-Bass-Control 0-18 dB, Hawkins-Bass-EQ 18-80 Hz, Subsonic-Filter 10-100 Hz, Input-Level 0,15-12 V.		2.399,00
	Soundstream Reference Amp REF800.2	2 x 240 / 400 Watts RMS into 4 / 2 Ohms HP & LP Filter 30-4000 Hz, Hawkins-Bass- Control 0-18 dB, Hawkins-Bass-EQ 18-80 Hz, Subsonic-Filter 10-100 Hz, Input-Level 0,15-12 V.		2.959,00
	Soundstream Reference Amp REF1600.2	2 x 480 / 800 Watts RMS into 4 / 2 Ohms HP & LP Filter 30-4000 Hz, Hawkins-Bass- Control 0-18 dB, Hawkins-Bass-EQ 18-80 Hz, Subsonic-Filter 10-100 Hz, Input-Level 0,15-12 V.		3.999,00
	Soundstream Reference Amp REF800.4	4 x 125 / 200 Watts RMS into 4 / 2 Ohms HP & LP Filter 30-4000 Hz, Hawkins-Bass-Control 0-18 dB, Hawkins-Bass-EQ 18-80 Hz, Subsonic-Filter 10-100 Hz, Input-Level 0,15-12 V.		2.999,00
	Soundstream Reference Amp REF880.5	4 x 70/120 + 1 x 200/400 Watts RMS into 4/2 Ohms CH1+2: HP & LP 50-5000 Hz, Bass-EQ 30-100 Hz CH2+3: HP & LP 30-4000 Hz, Bass-EQ 18-80 Hz CH5: HP & LP 30-4000 Hz, Bass-EQ 18-80 Hz Hawkins-Bass-Control 0-18 dB, Subsonic 10-100 Hz.		3.699,00
Tarantula-Serie / Design pojačala - Spitzenklasse				
	Soundstream Tarantula Amp TR2100	2 x 85 / 140 Watts RMS into 4 / 2 Ohms Highpass 45-6800 Hz, Lowpass 45-4600 Hz Hawkins-Bass-Boost 0-9 dB @ 45 Hz brushed Aluminium-Tarantula Top-Panel.		1.499,00
	Soundstream Tarantula Amp TR2150	2 x 140 / 240 Watts RMS into 4 / 2 Ohms Highpass 45-6800 Hz, Lowpass 45-4600 Hz Hawkins-Bass-Boost 0-9 dB @ 45 Hz brushed Aluminium-Tarantula Top-Panel.		1.849,00
	Soundstream Tarantula Amp TR2200	2 x 200 / 300 Watts RMS into 4 / 2 Ohms Highpass 45-6800 Hz, Lowpass 45-4600 Hz Hawkins-Bass-Boost 0-9 dB @ 45 Hz brushed Aluminium-Tarantula Top-Panel.		2.589,00
	Soundstream Tarantula Amp TR2250	2 x 250 / 400 Watts RMS into 4 / 2 Ohms Highpass 45-6800 Hz, Lowpass 45-4600 Hz Hawkins-Bass-Boost 0-9 dB @ 45 Hz brushed Aluminium-Tarantula Top-Panel.		3.329,00
	Soundstream Tarantula Amp TR2350	2 x 350 / 600 Watts RMS into 4 / 2 Ohms Highpass 45-6800 Hz, Lowpass 45-4600 Hz Hawkins-Bass-Boost 0-9 dB @ 45 Hz brushed Aluminium-Tarantula Top-Panel.		3.999,00
	Soundstream Tarantula Amp TR4100	4 x 85 / 140 Watts RMS into 4 / 2 Ohms Highpass 45-6800 Hz, Lowpass 45-4600 Hz Hawkins-Bass-Boost 0-9 dB @ 45 Hz brushed Aluminium-Tarantula Top-Panel.		2.449,00

MALOPRODAJNI CJENIK SOUNDSTREAM 2009.g.

Slika proizvoda	Opis	Karakteristike	 Cijena kn
	Soundstream Tarantula Amp TR4125	4 x 120 / 200 Watts RMS into 4 / 2 Ohms Highpass 45-6800 Hz, Lowpass 45-4600 Hz Hawkins-Bass-Boost 0-9 dB @ 45 Hz brushed Aluminium-Tarantula Top-Panel.	3.299,00
Human Reign / High End pojačala u alumijskom kućištu			
	Soundstream Amp Human Reign 2-Kanal HR2	2 x 450 / 800 Watts RMS into 4 / 2 Ohms 12 dB HP 50-500 Hz, 24 dB LP 40-160 Hz Subsonic 13-30 Hz, Hawkins-Bass-Boost 0-9 dB Balanced Inputs, separated Gain-Controls Mono/Sum/Stereo-Input-Switch.	22.999,00
	Soundstream Amp Human Reign 4-Kanal HR4	4 x 125 / 250 Watts RMS into 4 / 2 Ohms 12 dB HP 50-500 Hz, 24 dB LP 40-160 Hz Subsonic 13-30 Hz, Hawkins-Bass-Boost 0-9 dB Balanced Inputs, separated Gain-Controls Mono/Sum/Stereo-Input-Switch.	22.999,00
XXX-Serie / High End natjecateljsko mono pojačalo i niskotonac			
	Soundstream Triple-X Amp XXX-6500	1 x 1750/3290/4490 Watts RMS into 4/2/1 Ohms Subsonic 15-40 Hz, Lowpass 50-150 Hz, 18 dB Subsonic, 24 dB Lowpass, Bass-Boost, variable Phase Shift 0-180 degrees.	11.999,00
	Soundstream Triple-X Woofer 38cm XXX15	Power 8500 Watts, Impedance 4x1,3 Ohms 100 mm / 4,0" Voice-Coil, Diecast-Basket Fs 34 Hz, Qts 0,26, VAS 46 L, 90 dB inst. depth 253 mm, inst. diameter 355 mm.	8.999,00
Tarantula-TR-Serie High end niskotonac u kutiji / Einzelwoofer mit Alu-Druckgusskorb			
	Soundstream Dual Bandpass TR-212BP	Power 1500 Watts RMS, Impedance 4+4 Ohms 12" Dual Bandpass Box with Plexiglas High Grade-Subwoofer with Alu-Diecast mirrored inner chamber and Logo-Panel.	4.299,00
	Soundstream Single Bandpass TR-112BP	Power 750 Watts RMS, Impedance 4 Ohms 12" Single Bandpass Box with Plexiglas High Grade-Subwoofer with Alu-Diecast mirrored inner chamber and Logo-Panel.	2.469,00
	Soundstream Woofer 30 cm Tarantula TR-12	Power 750 Watts, Impedance 2+2 Ohms 64 mm / 2,5" Voice Coil, Diecast-Basket Fs 29 Hz, Qts 0,27, VAS 90 L, 91 dB inst. depth 149 mm, inst. diameter 280 mm.	1.399,00
	Soundstream Woofer 25 cm Tarantula T5-10	Power 800 Watts RMS, Impedance 2+2 Ohms 76 mm / 3,0" Voice-Coil, Diecast-Basket Fs 32 Hz, Qts 0,46, VAS 13,5 L, 87 dB inst. depth 168 mm, inst. diameter 240 mm.	1.599,00
	Soundstream Woofer 30 cm Tarantula T5-12	Power 900 Watts RMS, Impedance 2+2 Ohms 76 mm / 3,0" voice-coil, Diecast-Basket Fs 27 Hz, Qts 0,39, VAS 44 L, 89 dB inst. depth 181 mm, inst. diameter 280 mm.	1.999,00
	Soundstream Woofer 38 cm Tarantula T5-15	Power 1000 Watts RMS, Impedance 2+2 Ohms 76 mm / 3,0" voice-coil, Diecast-Basket Fs 20 Hz, Qts 0,34, VAS 154 L, 91 dB inst. depth 232 mm, inst. diameter 358 mm.	2.460,00
Reference-Serie R1 / High-End Subwoofer sa 3"(76mm) zavojnicom			

















MALOPRODAJNI CJENIK SOUNDSTREAM 2009.g.

Slika proizvoda	Opis	Karakteristike	SOUNDSTREAM Cijena kn
	Soundstream Woofer 30 cm REFERENCE R1-12	Power 800 Watts RMS, Impedance 4+4 Ohms 76 mm / 3,0" CCA ribbon-wire voicecoil Dualmagnet 250 oz, Alu-Cone, Dual Nomex Spider Fs 27 Hz, Qts 0,63, VAS 52 L, 84 dB inst. depth 191 mm, inst. diameter 283 mm.	2.999,00
	Soundstream Woofer 38 cm REFERENCE R1-15	Power 900 Watts RMS, Impedance 4+4 Ohms 76 mm / 3,0" CCA ribbon-wire voicecoil Dualmagnet 250 oz, Alu-Cone, Dual Nomex Spider Fs 28 Hz, Qts 0,68, VAS 99 L, 86 dB inst. depth 222 mm, inst. diameter 362 mm.	3.269,00
Reference-Serie RFW / Subwoofer sa 2,5" (64mm) zavojnicom			
	Soundstream Woofer 30 cm Reference RFW-12	Power 600 Watts RMS, Impedance 4+4 Ohms 64 mm / 2,5" voice-coil, Diecast-Basket Fs 26 Hz, Qts 0,46, VAS 65 L, 87 dB inst. depth 161 mm, inst. diameter 278 mm.	1.399,00
	Soundstream Woofer 25 cm Reference RW-10	Power 500 Watts RMS, Impedance 4+4 Ohms 64 mm / 2,5" voice-coil, Diecast-Basket Fs 26 Hz, Qts 0,42, VAS 27,2 L, 85 dB inst. depth 152 mm, inst. diameter 240 mm.	1.399,00
	Soundstream Woofer 30 cm Reference RW-12	Power 600 Watts RMS, Impedance 4+4 Ohms 64 mm / 2,5" voice-coil, Diecast-Basket Fs 25 Hz, Qts 0,47, VAS 59 L, 87 dB inst. depth 165 mm, inst. diameter 280 mm.	1.499,00
Tarantula-Serie / High-End sistem zvučnika sa aluminijskim kućištem			
	Soundstream 2- Wege System 16 cm TRC6	Power 150 Watts RMS, Impedance 4 Ohms 38 mm neodymium-silk dome tweeter diecast basket, black Aluminium-Cone Tarantula Grill, X-Over with Tweeter-Protection inst. depth 62 mm, inst. diameter 144 mm.	1.659,00
	Soundstream 2- Wege System 13 cm TRC5	Power 110 Watts RMS, Impedance 4 Ohms 38 mm neodymium-silk dome tweeter diecast basket, black Aluminium-Cone Tarantula Grill, X-Over with Tweeter-Protection inst. depth 54 mm, inst. diameter 120 mm.	1.479,00
RS-Serie / Sistem zvučnika sa aluminijskim kućištem			
	Soundstream 2- Wege System 16,5 cm RS60C	Power 130 Watts RMS, Impedance 4 Ohms 28 mm silk dome tweeter, Diecast-Basket Carbon-Glasfiber Cone, Tarantula-Grilles inst. depth 68 mm, inst. diameter 144 mm.	1.199,00
	Soundstream Woofer-Set 16 cm RS60W	Power 130 Watts, Impedance 4 Ohms Carbon-Glasfiber Cone Diecast-Basket, incl. Tarantula-Grill inst. depth 68 mm, inst. diameter 144 mm.	679,00
	Soundstream Tweeter Set RS60T	Power Handling 130 Watts via X-Over 28 mm silk dome tweeter in aluminium housing Impedance 4 Ohms, outer diameter 66 mm inst. depth 26 mm, inst. diameter 57 mm	339,00
XPRO-Serie / Sistem zvučnika sa aluminijskim kućištem			
	Soundstream 2- Wege System 16 cm XPRO-60C	Power 110 Watts RMS, Impedance 4 Ohms 25 mm silk dome tweeter, magnet-protector, alu-baskets, incl. Tarantula-Grill und mesh grilles inst. depth 60 mm, inst. diameter 144 mm.	1.099,00

MALOPRODAJNI CJENIK SOUNDSTREAM 2009.g.

Slika proizvoda	Opis	Karakteristike	 Cijena kn
XTreme-Serie / Koaksialni trosistemski zvučnici			
	Soundstream 2-Wege Koax 8,8cm XStream XTS320	Power 80 Watts, Impedance 4 Ohms 14 mm poly-dome, freq.response 85Hz-20kHz Low Resonance Basket, without grilles inst. depth 38 mm, inst. diameter 82 mm.	299,00
	Soundstream 2-Wege Koax 10cm XStream XTS420	Power 100 Watts, Impedance 4 Ohms 14 mm poly-dome, freq.response 80Hz-20kHz Low Resonance Basket, incl. Grilles inst. depth 48 mm, inst. diameter 96 mm.	249,50
	Soundstream 2-Wege Koax 13cm XStream XTS520	Power 125 Watts, Impedance 4 Ohms 14 mm poly-dome, freq. response 65Hz-20kHz Low Resonance Basket, incl. Grilles inst. depth 47 mm, inst. diameter 115 mm.	309,00
	Soundstream 3-Wege Triax 16cm XStream XTS620	Power 150 Watts, Impedance 4 Ohms frequency response 50 - 20 kHz Inclusive Tarantula- and mesh grilles inst. depth 53 mm, inst. diameter 132 mm.	369,00
	Soundstream 2-Wege Koax 4x6" XStream XTS462	Power 125 Watts, Impedance 4 Ohms 14 mm poly-dome, freq.response 65Hz-20kHz Low Resonance Basket, incl. Grilles inst. depth 44 mm, inst. diameter 89x146 mm.	309,00
	Soundstream 3-Wege Triax 5x7" XStream XTS573	Power 180 Watts, Impedance 4 Ohms frequency response 45 - 20 kHz Low Resonance Basket, incl. Grilles inst. depth 58 mm, inst. diameter 126x180 mm.	429,00
	Soundstream 3-Wege Triax 6x8" XStream XTS683	Power 200 Watts, Impedance 4 Ohms frequency response 45 - 20 kHz Low Resonance Basket, incl. Grilles inst. depth 62 mm, inst. diameter 130x188 mm.	429,00
	Soundstream 3-Wege Triax 6x9" XStream XTS693	Power 200 Watts, Impedance 4 Ohms frequency response 40 - 20 kHz Inclusive Tarantula- and mesh grilles inst. depth 87 mm, inst. diameter 150x220 mm.	699,00
Picasso-Serie / Koaksialni trosistemski zvučnici sa tarantula zaštitom			
	Soundstream Koax 10 cm Picasso PCS40N	Power 60 Watts RMS, Impedance 4 Ohms 19 mm Polyamid Tweeter magnet-boot, incl. Tarantula-Grilles inst. depth 50 mm, inst. diameter 96 mm	339,00
	Soundstream Koax 13 cm Picasso PCS52N	Power 75 Watts RMS, Impedance 4 Ohms swivel 19 mm polyamid tweeter magnet-boot, incl. Tarantula-Grilles inst. depth 54 mm, inst. diameter 120 mm.	369,00
	Soundstream Triax 16 cm Picasso PCS65N	Power 85 Watts RMS, Impedance 4 Ohms 50/19 mm Polyamid-Mid-/Tweeter Section magnet-boot, incl. Tarantula-Grilles inst. depth 65 mm, inst. diameter 145 mm.	499,00
	Soundstream Koax 4x6" Picasso PCS46N	Power 75 Watts RMS, Impedance 4 Ohms swivel 19 mm Polyamid-Mid-/Tweeter Section magnet-boot, incl. Tarantula-Grilles inst. depth 52 mm, inst. diameter 90x143 mm.	369,00
	Soundstream Triax 5x7" Picasso PCS57N	Power 100 Watts RMS, Impedance 4 Ohms 50/19 mm Polyamid-Mid-/Tweeter Section magnet-boot, incl. Tarantula-Grilles inst. depth 61 mm, inst. diameter 129x184 mm.	499,00

MALOPRODAJNI CJENIK SOUNDSTREAM 2009.g.

Slika proizvoda	Opis	Karakteristike	 Cijena kn
	Soundstream Triax 6x9" Picasso PCS69N	Power 120 Watts RMS, Impedance 4 Ohms 50/19 mm Polyamid-Mid-/Tweeter Section magnet-boot, incl. Tarantula-Grilles inst. depth 85 mm, inst. diameter 151x222 mm.	699,00
Tarantula TW-Serie / Saundstream visokotonci			
	Soundstream Neodym-Hochtöner TWS3	Power 150 Watts max., Impedance 4 Ohms 25 mm PEI-Neodymium-Tweeter, freq. response 2.0 -21 kHz, 94 dB SPL, Eyeball-Design.	249,00
	Soundstream Neodym-Hochtöner TWS4	Power 200 Watts max., Impedance 4 Ohms 25 mm Tantalum-Neodym-Tweeter frequency response 5.0 - 25 kHz, 95 dB SPL, Aluminum-Housing.	222,00
Multi-madia / TFT monitor 7" aspekt 16:9 sa IR daljinskim upravljačem			
	Soundstream 7" Monitor SV70M	7" (17,7cm) TFT-LCD Monitor, Infrared-Remote 16:9/4:3, On Screen Display, NTSC/PAL Auto Select, 1440 x 234 resolution / 480 x 234 Pixel (RGB), 199/187 x 132/118 x 28/24 mm.	1.199,00
Dodatna oprema / Zaštita za niskotonce, Set kablova, Signalni kablovi			
	Soundstream Woofergrill 38 cm Tarantula	chromed Alu-Diecast Grille Outer Diameter 409 mm.	429,00
	Soundstream Kabelkit SK8	10 qmm Wirekit, 80 A Fuseholder with Fuse 6 m Power Wire red, 1,2 m Ground Wire 5 m RCA Patch cord silver with metal plugs 5,5 m remote wire blue incl. Accessories.	399,00
	Soundstream Cinchkabel 0,45 m RCA1.5	dual shielded, symmetrical High End RCA patch cord with drilled lead-wires, splitted metal plugs.	109,00
	Soundstream Cinchkabel 0,90 m RCA 3.0	dual shielded, symmetrical High End RCA patch cord with drilled lead-wires, splitted metal plugs.	119,00
	Soundstream Cinchkabel 1,80 m RCA 6.0	dual shielded, symmetrical High End RCA patch cord with drilled lead-wires, splitted metal plugs.	149,00
	Soundstream Cinchkabel 3,60 m RCA 12	dual shielded, symmetrical High End RCA patch cord with drilled lead-wires, splitted metal plugs.	179,00
	Soundstream Cinchkabel 6,00 m RCA 20	dual shielded, symmetrical High End RCA patch cord with drilled lead-wires, splitted metal plugs.	209,00
	Soundstream Y- Adpater RCA-1M2F	1 Male / 2 Female, Dual shielded drilled lead wires, splitted metal plugs.	89,00
Digitalni kondenzatori			
	Soundstream Pufferelko 1 Farad SC1CAP	1 Farad-Power-Capacitor with Digital-Display Housing with 16 Status LEDs, incl. mounting brackets up to 24 Volts Input Source.	979,00
	Soundstream Pufferelko 2 Farad SC2A	2 Farad-Power-Capacitor with 3 digit Display (V&A) Housing with 16 Status LEDs, incl. mounting brackets up to 24 Volts Input Source.	1.399,00
	Soundstream Pufferelko 5 Farad SC5ACAP	5 Farad-Power-Capacitor with 3 digit Display (V&A) Housing with 16 Status LEDs, incl. mounting brackets up to 24 Volts Input Source.	1.659,00